

卡依口主播麦克风
XLR Cardioid Condenser Microphone

XMic 10L

使用手册
Instruction Manual

前言

感谢您的购买产品！XMic 10L 是一款 48V 专业电容麦克风，内置 25mm 镀镉振膜，具有低噪声、高输出等特点，采用单向传声拾音方式，结合可锁、人声的音量，适用于直播和录音。其专业性、稳定性和耐用性，确保您在各种场合，支持各种主流声卡、直播 APP、能广泛应用于直播、录音、播客、广播电台及专业直播直播、录制时间的外观设计，铝合金外壳，内外兼修，实力与颜值并存。


使用本产品之前，请仔细阅读说明书，以便正确使用及维护。

主要特点


- 心型指向，全指向。
- 大额定专业音频，高音清晰，低音浑厚。
- 通用卡依接口，支持 48V 幻象电源供电。
- 专业 25mm 镀镉振膜，拾音清晰。
- 精密设计防震架，牢固耐用。
- 升级防震架，360° 稳定架，降低手持噪音。

警告

- 麦克风属精密设备，请勿使其掉落或受到撞击，以免发生故障。
- 请勿私自拆卸、改装或尝试维修本产品。产品出现故障请联系本公司授权的维修人员进行专业维修。
- 请勿将本产品存放在阳光直射的地方、加热装置附近或有尖锐、潮湿或多尘的地方。
- 请勿让儿童接触本产品，以免发生危险。
- 请勿在易燃易爆环境中使用，或在恶劣条件下，请注意相关警告标识。
- 请勿放置在超过 40 度的高温环境中。
- 请仔细阅读并遵守生产厂家提供的警告或指示。




连接方法



规格参数

型号	XMic10L
接口类型	卡依口
振膜	25mm 镀镉振膜
麦克风类型	电容式
指向性	心型指向
灵敏度	-36dB±2dB (0dB=1V/Pa, 1kHz)
最大声压级	140dB (1kHz, THD ≤ 1%)
信噪比	75dB (A 加权, 1kHz, Pa)
额定频率带宽	20Hz-20kHz (±3dB)
供电方式	48V
额定电流	3mA
内部阻抗	500
额定负载阻抗	>1000
等效噪声	16dB
连接尺寸	Ø52*151mm
净重	416g

指向特性



标配物品

- 麦克风 × 1
- 防震架 × 1
- 卡依口转卡依口连接线 × 1
- 毫米尺 × 1
- 说明书 × 1
- 卡依口 × 1

附页

产品中有毒物质或元素名称及含量

有害物质	铅 (Pb)	镉 (Cd)	汞 (Hg)	六价铬 (Cr (VI))	多溴联苯 (PBB)	多溴二苯醚 (PBDE)
印刷电路板组件外壳及附件	X	○	○	○	○	○
外壳及附件	X	○	○	○	○	○

本产品符合 RoHS 1.1/2.1 的规定要求。
○：表示该有害物质在该部件所有材料中的含量符合 RoHS 1.1/2.1 规定的需要求以下。
X：表示该有害物质至少在该部件的某一材料中的含量超过 RoHS 1.1/2.1 规定的需要求。
表中标记“X”的部件，该部件技术文件未明确无法实现有毒物质的替代。
印刷电路板组件“包括印刷电路板及零部件，电子元器件等”产品，与本产品不同，但所购买的产品可能不会含有以上所有部件。
在中华人民共和国境内销售的电子产品必须标注 CE 标志。
标志内的数字代表在正常的使用条件下产品环境使用期限。

产品保修

尊敬的客户，本保修卡是申请保修服务的重要凭证，请您配合销售商填写并妥善保管，谢谢！

产品信息	型号	产品条码
姓名		
联系电话		
地址		
名称		
联系电话		
通信地址		
销售日期		

备注：此表应由销售商盖章确认。

Foreword

Thank you for purchasing! XMic 10L is a professional microphone powered by 48V phantom power. Built-in 25mm gilded diaphragm reduces noise and brings accurate audio output. Cardioid-directed condenser is perfect for both human voice and instrument recording. Universal XLR connecting port can prevent other interference and ensure smooth signal transmission. It supports various mainstream sound cards and live streaming APPs, can be widely used in broadcast studios, recording studios and live streaming. Fashion style and zinc-alloy shell also make it more attractive.

Please read the Instruction Manual carefully before using to make sure the correct operation and usage.


Feature

- Cardioid directivity, automatic noise reduction.
- Frequency response specially adjusted for human voices in different ranges.
- 48V phantom power supply through XLR cable.
- 25mm gilded diaphragm to restore the original sound.
- Metal shell structure is practical and durable.
- Shock-absorbing bracket is 360° rotatable and all-round protective.


Warning

- This product is high-precision instrument, please avoid falling, collision or pounding.
- Do not disassemble. Should repairs become necessary, this product must be sent to our Company or an authorized maintenance center.
- Always keep this product dry. Do not use in rain or damp conditions.
- Do not leave or store this product in the environment of direct sunlight, near heating devices, or in hot, humid or dusty.
- Keep out of reach of children.
- Do not use in flammable and explosive environments. Pay attention to the relevant warning signs.
- Do not leave or store the product if the ambient temperature reads over 40°C.
- Please read carefully and follow the warnings or instructions provided by the manufacturer.


Structure of Product



How to Connect



Directivity



What's in the Box

- Microphone × 1
- Shock-absorbing bracket × 1
- XLR connecting cable × 1
- Instruction Manual × 1
- Decibel × 1

Technical Data

Model	XMic10L
Connecting Port	XLR
Diaphragm	25mm gilded
Microphone Type	Condenser
Directivity	Cardioid
Sensitivity	-36dB±2dB (0dB=1V/Pa, 1kHz)
Max. Sound Pressure Level	140dB (1kHz, THD ≤ 1%)
Signal-to-Noise Ratio	75dB (A-Weighted, 1kHz, Pa)
Frequency Bandwidth	20Hz-20kHz (±3dB)
Power Supply	48V
Rated Current	3mA
Internal Impedance	500
Rated load Impedance	>1000
Equivalent Noise	16dB
Dimension	Ø52*151mm
Net Weight	416g

Troubleshooting

No sound

1. Please check whether the microphone cable is correctly connected, or unplug and re-plug.

Howling

1. Please check whether the microphone is directly facing the speaker;
2. Please check whether the microphone is too close to the speaker, and keep the distance at least 1.5 meters.

Noise

1. Please check whether the microphone cable is correctly connected, or unplug and re-plug.
2. Please check whether the mouth is too close to the microphone, and keep the distance around 10 to 20 millimeters with 45 degrees of inclination angle.

Maintenance

Keep dry

This product is not water-proof. Malfunction, rust, and corrosion may occur and go beyond repair if soaked in water or exposed to high humidity.

Avoid sudden temperature changes.

Condensation happens in sudden temperature changes such as the circumstance when taking the product out of a building with higher temperature to outside in winter. Please put the product in a handbag or plastic bag beforehand.

Keep away from strong magnetic field.

The strong static or magnetic field produced by devices such as radio transmitters leads to malfunction.

FCC Caution

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not shielded and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Warranty

Dear customers, as this warranty card is an important certificate to apply for our maintenance service, please fill in the following form in coordination with the seller and safe-keep it. Thank you!

Product Information	Model	Product Code Number
Customer Information	Name	Contact Number
	Address	
Seller Information	Name	
	Contact Number	
	Address	
	Date of Sale	

Note: This form shall be sealed by the seller.

Applicable Products

The document applies to the products listed on the Product Maintenance information (see below for further information). Other products or accessories (e.g. promotional items, giveaways and additional accessories attached, etc.) are not included in this warranty scope.

Warranty Period

The warranty period of products and accessories is implemented according to the relevant Product Maintenance information. The warranty period is calculated from the date (purchase date when the product is bought) for the first time, and the purchase date is considered as the date registered on the warranty card when buying the product.

How to Get the Maintenance Service

If maintenance service is needed, you can directly contact the product distributor or authorized service institutions. You can also contact the Godox after-sales service call and we will offer you service. When applying for maintenance service, you should provide valid warranty card. If you cannot provide valid warranty card, we may offer you maintenance service once confirmed that the product or accessory is involved in the maintenance scope, but that shall not be considered as our obligation.

Inapplicable Cases

The guarantee and service offered by this document are not applicable in the following cases: ①. The product or accessory has expired its warranty period; ②. Breakage or damage caused by inappropriate usage, maintenance or preservation, such as improper handling, improper usage, improper plugging into external equipment, falling off or squeezing by external force, contacting or exposing to the improper temperature, solvent, acid, base, flooding and damp environment, etc.; ③. Breakage or damage caused by non-authorized modification or self in the process of installation, maintenance, alteration, addition and disassembly; ④. The original identifying information of product or accessory is modified, altered or removed; ⑤. No valid warranty card; ⑥. Breakage or damage caused by using illegally authorized, nonstandard or non-public released software; ⑦. Breakage or damage caused by force majeure or accident; ⑧. Breakage or damage that could not be attributed to the production; ⑨. Once met these situations above, you should seek solutions from the related responsible parties and Godox assumes no responsibility. The damage caused by parts, accessories and software that beyond the warranty period or scope is not included in our maintenance scope. The normal discoloration, abrasion and consumption are not the breakage within the maintenance scope.

Maintenance and Service Support Information

The warranty period and service types of products are implemented according to the following Product Maintenance Information.

Product Type	Name	Maintenance Period(month)	Warranty Service Type
Parts	Product Main Body	12	Customer sends the product to designated site
	Battery	3	Customer sends the product to designated site
	Charger, Power Cable, Sync Cable, Electrical Parts etc.	12	Customer sends the product to designated site
Other Items	Battery Case, Windscreen Foam, Wind Cap, Locking Device, Lanyard, Trip, Video Hook, Clip, Bag, Package etc.	No	Without warranty

Godox After-sale Service Call: 0755-29699320-8062

Declaration of Conformity

GODOX Photo Equipment Co., Ltd. hereby declares that the This equipment are in compliance with the essential requirements and other relevant provisions of EU Directive 2014/53/EU. They are allowed to be used in all EU member states. For more information of DoC, Please click this web link: https://www.godox.com/DOC/Godox_XMic10L_DOC.pdf

合格证
QC PASS

wechat
Official Account
微信号: 神牛摄影公众号

深圳市神牛摄影器材有限公司
地址: 深圳市宝安区西乡街道铁岗社区铁岗工业区三期B栋
电话: 0755-29699320(8062)
传真: 0755-25724233 邮编: godox.com

GODOX Photo Equipment Co., Ltd.
401, Building 3, Iron Horse Community, Fuhua Street, Bao'an District, Shenzhen, 518103, China. Tel: +86-755-29699320(8062) Fax: +86-755-25724233 E-mail: godox@godox.com

www.godox.com
Made in China | CN-XMIC10L-G000

